Index

attributes, objects, 2 C Α authentication. See also IPSec; Accounting provider, RRAS CA. See Certificate Authority security security, 185 caching-only server IPSec, 262, 264, 272–273 Active Directory (AD) DNS, 113 Automatic Private IP Addressing adding policies to, 280 configuration, 122-124 (APIPA), 80–81, 95 DHCP and, 89-90 Callback Control Protocol, 180 discussed, 2 certificate, 318, 319 В mixed mode, 2 renewal, 329 backbone area, network, 231 native mode, 2 revocation, 320, 335 BACP. See Bandwidth objects, 2 X.509 certificate, 319 Allocation Control Protocol address. See also IP address; Certificate Authority (CA). See Bandwidth Allocation Control Network Address Translation also security Protocol (BACP), 186 private, 293 certificate enrollment, Bandwidth Allocation Protocol public, 293 334-335 (BAP), 186 address mapping, static and Web enrollment, 334–335 BAP. See Bandwidth Allocation dynamic, 294 Protocol certificate renewal, 329 Address Resolution Protocol BGP. See Border Gateway classes, 320 (ARP), 20, 224Protocol enterprise CA, 320 ANDing, subnet mask, 23–24 binary, conversion to decimal, 20 configuration API. See Application binding exit module properties, 332 Programming Interface NDIS boundary layer, 7 in general, 330 APIPA. See Automatic Private network protocol bindings, policy mode properties, IP Addressing 53 - 55330-332 AppleTalk, 174 BootP client, 88 security properties, 333 pages, 190 Border Gateway Protocol storage properties, 332–333 Application Programming (BGP), 232 in general, 319 Interface (API), NetBIOS, 144 boundary layers installation, MCS installation, area, network, 231 architecture, 6 322-326 ARP. See Address Resolution NDIS boundary layer, 6 management Protocol TDI boundary layer, 6 back ups, 328–329 Asynchronous Transfer Mode broadcast domain, 74 controlling, 328

(ATM), 8

ATM. See Asynchronous
Transfer Mode

in general, 326–327	clustering, 3	domain name suffix, setting, 115
restoration, 328, 329	command prompt, 35	Domain Name System (DNS)
revocation, 335	convergence time, network, 230	configuration
working with, 327–328	CRL. See Certificate	caching-only server,
roles, 320	Revocation List	122–124
root CA, 320	CTL. See Certificate Trust List	client, 127–129
Certificate Revocation List (CRL), 320	D	dynamic update zone, 125–126
certificate services. See also	Data Link Control (DLC), 8	in general, 117
security	database compaction	implementing delegated
overview, 318	DHCP, 92	zone, 124
security keys, 318-319	WINS, 165	primary and secondary
pre-shared, 318	decimal, conversion to binary,	zone, 120–122
Certificate Store, 322	20–21	root name server, 118–120
Certificate Trust List (CTL), 322	demand-dial interface	DNS zones, 112–114
Challenge Handshake Authentication Protocol	RRAS, 234 discussed, 244–245	caching-only server, 113, 122–124
(CHAP), 179	demand-dial routing, 184	DNS zone file, 112, 120
CHAP. See Challenge	DHCP allocator, NAT, 295	forward lookup zone, 114
Handshake Authentication	DHCP database, compacting, 92	in-addr.arpa zone, 114
Protocol	DHCP relay agent, 82, 85	primary name server,
client. See also user profiles	DHCP. See Dynamic Host	112, 113
configuration	Configuration Protocol	resource records, 114–115,
BootP client, 88	DHCP server, configuration,	126–127
DHCP configuration, 79–81	84, 90	reverse lookup zone, 114
in DHCP lease process, 73–74	DHCPAcknowledgement, 73, 77–78	secondary name server, 112, 113
DHCP lease process,	DHCPDiscover, 73, 74	zone transfer, 113
DHCPDiscover packet, 73	DHCPOffer, 73, 75	Dynamic DNS, 9, 72
DNS client configuration, 127–129	DHCPR equest, 73, 75–76 dial-up networking, RRAS,	Fully Qualified Domain Name, 9
IPSec client, 262	175, 184	installation, 115–117
remote-access, 177	DLC. See Data Link Control	integration with DHCP,
RRAS configuration, 184	DNS. See Domain Name	90–91
VPN client, 199	System	

integration with DNS, 90–91 lease process	EGP. See Exterior Gateway Protocol
DCHPNack, 73 DHCPAcknowledgement	encrypting file system. See also security
73,77–78	discussed, 2
DHCPDiscover, 73, 74	Encrypting File System (EFS),
	removing recovery keys, 335 encryption. <i>See also</i> IPSec;
*	security
in general, /3–/4 renewal process, 78–79	IPSec, 262
manager snap-in, 81	private-key, 318 public-key, 318–319
managing, 91–92 monitoring, 92–95	Rivest-Shamir-Adleman
overview, 9, 72	algorithm, 318
DNS integration, 72	Extensible Authentication Protocol (EAP), 179–180
detection, 72	Exterior Gateway Protocol (EGP), 232
superscopes, 72	F
1	FAT. See file allocation system
	fault tolerance. <i>See also</i> security
Protocol (DHCP) server	increasing, 84
service	file allocation system (FAT) 32, 3
physical segment, 84	File Transfer Protocol (FTP)
configuring router to pass	functions, 19
	Trivial File Transfer
, ,	Protocol, 19
	filtering
	IP Filter List
	management, 275–277 properties, 271–272
_	TCP/IP packet filtering,
EAP See Extensible	1 C1 / 11 Packet mitting,
Authentication Protocol	33–34
	lease process DCHPNack, 73 DHCPAcknowledgement, 73, 77–78 DHCPDiscover, 73, 74 DHCPOffer, 73, 75 DHCPRequest, 73, 75–76 in general, 73–74 renewal process, 78–79 manager snap-in, 81 managing, 91–92 monitoring, 92–95 overview, 9, 72 DNS integration, 72 rogue DHCP server detection, 72 superscopes, 72 scope configuration, 85–88 troubleshooting, 95 Dynamic Host Configuration Protocol (DHCP) server service configuring DHCP server per physical segment, 84

Authority (IANA), 24

FTP. See File Transfer Protocol Fully Qualified Domain Name	Internet Connection Sharing (ICS), 291. See also Network	IP address. <i>See also</i> routing; Transmission Control
(FQDN), 9	Address Translation	Protocol/Internet Protocol
G	compared to NAT, 296 configuration	assignment automatic, 72
gateway	applications properties, 298	dynamic, 32, 79
Dead Gateway Detection, 31	in general, 298	Automatic Private IP
default gateway, 24, 26	services properties, 299–301	Addressing, 80–81
Exterior Gateway	installation, 296, 297–298	BootP client, 88
Protocol, 232	Internet Control Message	host ID, 22
Н	Protocol (ICMP), 20	host name translation to,
host, routing, 224	Internet Engineering Task	108, 109
host file, DNS, 108–109	Force (IETF), 262	mapping to MAC layer
host ID, IP address, 22	Internet Group Management	address, 20
host name commmand, 108	Protocol (IGMP), 20, 174	network ID, 22
host name resolution, NAT, 296	Internet Protocol (IP), 20, 262	releasing, 80
riose marie resoration, 1 viii, 200	version 6 (IPv6), 8	reservations, 87–88
1	Internetwork Packet eXchange (IPX), 50, 177	static, 115
IANA. See Internet Assigned	Internetwork Packet	IP routing. See also routing
Numbers Authority	eXchange/Sequenced Packet	monitoring, 252
ICMP. See Internet Control	eXchange (IPX/SPX)	IP Security (IPSec). See also security
Message Protocol	in general, 8, 48–50	adding policies to Active
ICS. See Internet Connection	NWLink IPX/SPX, 8	Directory, 280
Sharing IETE See Internet Engineering	installation and configura-	architecture
IETF. See Internet Engineering Task Force	tion, 51–53	components, 264
IGMP. See Internet Group	protocols	driver, 264–265
Management Protocol	IPX, 50	ISAKMP/Oakley
in-addr.arpa zone, inverse	NCP, 50	Service, 264
query, 114	NLSP, 51	policy agent service, 264
International	RIP, 50	authentication, 262, 264,
Telecommunications Union	SAP, 50	272–273
(ITU), X.509 certificate, 319	SPX, 50	configuration
Internet Assigned Numbers	IP. See Internet Protocol	in general, 266–268

new policy configuration, 269–270 new policy creation, 268 connection type properties, 274–275 discussed, 2, 174 encryption/decryption, 262	ipconfig/registerdns command, troubleshooting, 38–39 ipconfig/release, trou- bleshooting, 38 ipconfig/renew command, troubleshooting, 38 IPSec. See IP Security	dialog box, 51 Local Area Network Emulation (LANE), ATM support, 8 local area network (LAN), 20 interface, 242–244 adding to protocol, 245–251
features, public key certificate, 262, 264 filter lists addressing properties, 277–278	IPX. See Internet Packet eXchange IPX/SPX. See Internetwork Packet eXchange/Sequenced Packet eXchange	M MAC. See Media Access Control MCS. See Microsoft Certificate Services
management, 275–277, 278–280 protocol properties, 278 installation, 265–266	ISAKMP/Oakley Service, IPSec, 264 ITU. See International Telecommunications Union	MCSE Guide to Microsoft Windows 2000 Active Directory, 2 MCSE Guide to Microsoft Windows 2000 Server, 49
management, 281–282 monitoring, 281–282 operation transport mode, 263 tunnel mode, 263 overview, 262 IPSec client, 262	jetpack command, database compaction, 92 K Kerberos version 5, 2, 262, 264	Media Access Control (MAC) address DHCPDiscover broadcast to, 74 IP address mapping, 20 routing, 224
IPSec client, 262 IPSec server, 262 policies, 262, 263 Active Directory Group Policy, 263 process, 265 rules properties in general, 270–271 IP Filter List, 271–272 tunnel setting properties, 274 ipconfig command, troubleshooting, 35–36 ipconfig/all command, trou-	L L2TP. See Layer-Two Tunneling Protocol LAN. See local area network LANE. See Local Area Network Emulation Layer-Two Tunneling Protocol (L2TP), 174, 200 LCP. See link control protocol link control protocol (LCP), 187 LMHOSTS file, 109	media sense, 6 Microsoft Certificate Services (MCS), 317, 319. See also certificate installation, 322–326 snap-ins, 326 Microsoft Challenge Handshake Authentication Protocol (MS-CHAP), 179 Microsoft Management Console (MMC), framework, 72 mixed mode, Active Directory, 2
bleshooting, 37	Local Area Connection Properties, 29	

name registration company, DNS, 111 NAT. See Network Address Translation native mode, Active Directory, 2 nbstat command, troubleshooting, 42–43 NCP. See NetWare Core Protocol protocol NDIS. See network driver interface specifications neighbors, routing, 248 Net Shell, 206 using, 208–209 NetBIOS, 144 NetBIOS, Ephanced User NAT. See Network Address Translation network address NetWare Core Protocol (NCP), 50 NetWare Link State Protocol (NLSP), 51 network network driver interface specifications (NDIS) boundary layer, 6–7 binding, 7 network ID, IP address, 22 Network Monitor, RAS, 209 network operating system (NOS), 1 network segment, DHCP server, 73 networking protocols Asynchronous Transfer Mode, 8 Connection Sharing address assignment proper- ties, 308–310 overview, 9, 174, 291, 292 public and private address- ing, 293 RRAS, 177–178 network driver interface specifications (NDIS) boundary layer, 6–7 binding, 7 network ID, IP address, 22 Network Monitor, RAS, 209 network operating system (NOS), 1 network segment, DHCP server, 73 networking protocols Asynchronous Transfer Mode, 8 connection-oriented, 20 connectionless, 20	MMC. See Microsoft Management Console (MMC) MP. See multilink protocol MS-CHAP. See Microsoft Challenge Handshake Authentication Protocol multicasting, 20 Multilink Protocol (MP), 186	name query response, 153 registration, 151–152 release, 152 renewal, 152 unique, 144 NetBIOS naming. See also Windows Internet Naming Service in general, 144–145	installation, 301 with RRAS, 301–303 operation compared to ICS, 296 DHCP allocator, 295 host name resolution, 296 NAT editors, 294–295 static and dynamic address mapping, 294
Interface (NetBEUI), 8, 176, 190 NetBIOS Local Name Table, 145 NetBIOS name group, 144 name query, 152–153 address pool properties, 305 in general, 305, 307–308 in general, 8 Internet Packet eXchange/Sequenced Packet eXchange, 8 Internet Protocol version 6, 8 NetBIOS Enhanced User Interface, 308 Interface, 8	name registration company, DNS, 111 NAT. See Network Address Translation native mode, Active Directory, 2 nbstat command, troubleshooting, 42–43 NCP. See NetWare Core Protocol NDIS. See network driver interface specifications neighbors, routing, 248 Net Shell, 206 using, 208–209 NetBEUI. See NetBIOS Enhanced User Interface NetBIOS, 144 NetBIOS Enhanced User Interface (NetBEUI), 8, 176, 190 NetBIOS Local Name Table, 145 NetBIOS name group, 144	netdiag command, troubleshooting, 43–48 netstat, troubleshooting, 41–42 NetWare Core Protocol (NCP), 50 NetWare Link State Protocol (NLSP), 51 network area, 231 backbone area, 231 convergence time, 230 Network Address Translation (NAT). See also Internet Connection Sharing address sharing benefits, 293 configuration address assignment properties, 308–310 address pool properties, 305 in general, 305, 307–308 name resolution properties, 310 NAT interface, 304 special ports properties, 305–307	public and private addressing, 293 RRAS, 177–178 network driver interface specifications (NDIS) boundary layer, 6–7 binding, 7 network ID, IP address, 22 Network Monitor, RAS, 209 network operating system (NOS), 1 network segment, DHCP server, 73 networking protocols Asynchronous Transfer Mode, 8 connection-oriented, 20 connectionless, 20 Data Link Control, 8 in general, 8 Internet Packet eXchange/Sequenced Packet eXchange, 8 Internet Protocol version 6, 8 NetBIOS Enhanced User

network protocol bindings, 53–55 Transmission Control Protocol/Internet Protocol, 8 networking services certificate services, 9 Domain Name System, 9 Dynamic Host Configuration Protocol, 9 in general, 9 Network Address Translation, 9 Routing and Remote Access Server, 9 Windows Internet Naming Service, 9 NLSP. See NetWare Link State Protocol NOS. See network operating system (NOS) Novell, 49 nslookup utility, DNS server, 132 NWLink IPX/SPX. See also Internetwork Packet	configuration, 240–241 discussed, 231–232 properties, 249–250 Open System Interconnection (OSI) model, 2, 18 OSI. See Open System Interconnection OSPF. See Open Shortest Path First P packet, routing, 224 packet filtering, TCP/IP, 33–34 Packet Internet Groper (ping), 20 troubleshooting, 39–40 PAP. See Password Authentication Protocol Password Authentication Protocol (PAP), 179 pathping command, troubleshooting, 48 PC card, hot-swapping, 3 ping. See Packet Internet Groper	pointer resource record (PTR), 72, 90 policy agent service, IPSec, 264 port, blocking, 34 PPP. See Point-to-Point Protocol PPTP. See Point-to-Point Tunneling Protocol pre-shared key. See public key certificate protocol. See also networking protocols; specific protocols binding to NICs, 7 protocol stack, trou- bleshooting, 17 PTR. See pointer resource record public key certificate. See also certificate services; IPSec; security IPSec, 262, 264 public key infrastructure (PKI), certificates, 318
NWLink IPX/SPX. See also	ping. See Packet Internet	_

records. See also resource records A records, 72 pointer resource records, 72 reverse lookup records, 90 Recovery Agent, EFS, 335 recursive query, DNS process, 114 remote access policies (RAPs), RRAS, 178 Remote Access Service (RAS), 174. See also Dynamic Host Configuration Protocol configuration for DHCP DHCP relay agent, 204 in general, 203–204 specific interface, 205–206 monitoring logging, 207–208 Net Shell tool, 208–209 Network Monitor, 209 ports, 206–207 server activity, 206 Net Shell, 206 Remote Authentication Dial-In User Support (RADIUS), 174, 180 replication WINS replication, 154–155 tombstoning, 154 Request for Comments	resource records. See also Domain Name System; records creating manually, 126–127 in DNS zones, 114–115 reverse lookup records, 90. See also records RFC. See Request for Comments RIP. See Routing Information Protocol Rivest-Shamir-Adleman (RSA) algorithm, 318 root name server, configuration, 118–120 ROUTE command, for static route, 236–237 router, 224. See also router configuration; routing border area, 231 DHCP relay agent, 82, 85, 203 dynamic, 230 in general, 228 non-broadcast multiple-access, 250 static, 228–229 management with ROUTE command, 236–237 management with RRAS, 237–239 router configuration to pass DHCP traffic, 83	exterior routing protocols, 232–233 Border Gateway Protocol, 232 Exterior Gateway Protocol, 232 indirect, 225–227 interfaces demand-dial interface, 244–245 in general, 241–242 LAN interface, 242–244, 245–251 IP routing, 252 multihomed, 228 neighbors, 248 Open Shortest Path First, 230, 231–232 overview, 224 Routing Information Protocol, 230 Routing Information Protocol (RIP), 50 configuration, 239 in general, 230–231, 239, 240 properties, 246 RIPv1, 231 RIPv2, 231 security, 240, 246–247 Routing and Remote Access Service (RRAS). See also
replication WINS replication, 154–155 tombstoning, 154	command, 236–237 management with RRAS, 237–239 router configuration to pass DHCP traffic, 83 ROUTE command for static route, 236–237 router discovery, 177 routing	RIPv2, 231 security, 240, 246–247 Routing and Remote Access
	direct routing, 224	concepts

multilink properties, 189 multilink properties, 196 NetBEUI, 190 PPP properties, 186–187 remote access policies, 192–194 remote access profiles, 195 security, 185 user profiles, 190–192 user configuration in general, 190 Routing and Remote Access Service (RRAS) server security, 185 user profiles, 190–192 inbound connections, in general, 184 event logging page, 190 static routes management, 2 237–239 user configuration in general, 190 IPSec, 262 public-key, 318–319 Kerberos version 5, 2, 262, 26 RIP, 240, 246–247 RRAS access control, 180 Challenge Handshake Authentication Protocol, 179	NetBEUI, 190 PPP properties, 186–187 remote access policies, 192–194 remote access profiles, 195 security, 185 user profiles, 190–192 demand-dial routing, 184 event logging page, 190 features	user configuration in general, 190 user profiles, 190–192 Routing and Remote Access Service (RRAS) server configuration inbound connections, in general, 184 security, 185 routing table, 226, 228	encrypting file system, 2 encryption IPSec, 262 public-key, 318–319 Kerberos version 5, 2, 262, 264 RIP, 240, 246–247 RRAS access control, 180 Challenge Handshake Authentication Protocol, 179
features routing table, 226, 228 Protocol, 179 multicast routing, 178 RRAS. See Routing and connection control, 180 Network Address Translator, 177–178 RSA. See Remote Access Service encryption properties, 197–198 remote access policies, 178 Rivest-Shamir-Adleman algorithm Extensible Authentication Protocol, 179–180	multicast routing, 178 Network Address Translator, 177–178 remote access policies, 178	RRAS. See Routing and Remote Access Service RSA. See Rivest-Shamir-Adleman	connection control, 180 encryption properties, 197–198 Extensible Authentication

in general, 178	subnetting	addresses
Microsoft CHAP, 179	creating class B subnetting	dynamic IP address, 32-33
Password Authentication	scheme, 24–27	in general, 28
Protocol, 179	default gateway, 24	Local Area Connection
server configuration, 185	default masks, 24	Properties, 29
Shiva Password	in general, 24	static IP address, 29-32
Authentication	Internet Assigned Numbers	architecture, 18–19
Protocol, 179	Authority, 24	Address Resolution
user authentication,	Request for Comments, 24	Protocol, 20
178–179	tailoring Class B address, 27–28	File Transfer Protocol, 19
Sequenced Packet eXchange (SPX), 50	switches, with ping command, 40	Internet Control Message Protocol, 20
Serial Line Interface Protocol (SLIP), 176	Т	Internet Group Management Protocol, 20
Service Advertisement Protocol (SAP), 50	TCP. See Transmission Control	Internet Protocol, 20
Shiva Password Authentication	Protocol TCD/ID haved to separate	local area network, 20
Protocol (SPAP), 179	TCP/IP, bound to separate NICs, 7	Simple Mail Transfer
Simple Mail Transfer Protocol	TCP/IP. See Transmission	Protocol, 19
(SMTP), 19	Control Protocol/Internet	Telnet, 19
SLIP. See Serial Line Interface	Protocol	Transmission Control Protocol. 19
Protocol	TDI. See transport device	Trivial File Transfer
Small Office/Home Office	interface	Protocol, 19
(SOHO), 292	Telnet, 19	User Datagram Protocol, 19
SMTP. See Simple Mail	terminal services, 3	wide area network, 20
Transfer Protocol	tombstoning, 154	bound to separate NICs, 7
SOHO. See Small	tracert command, trou-	classes, 22–23
Office/Home Office SPAP. See Shiva Password	bleshooting, 40–41	default gateway, 226
Authentication Protocol	transit internetwork, 200	in general, 8, 18–20
SPX. See Sequenced Packet	Transmission Control Protocol	layers mnemonic, 18
eXchange	(TCP), 19	NetBIOS use, 144
subnet mask, 115	Transmission Control Protocol/Internet Protocol	packet filtering, 33–34
ANDing, 23	(TCP/IP). See also Dynamic	protocols, 176
IP addressing in	Host Configuration Protocol;	subnet masks, 23–24
TCP/IP, 23–24	networking protocols	subnetting, in general, 24
		sacreening, in general, 2 i

TCP/IP addressing, 20–22	tracert, 40-41	demand-dial interface, 203
troubleshooting	WINS, 163–165	ports configuration,
in general, 34–35	TTL properties. See also	201–203
ipconfig command, 35-36	Domain Name System	VPN server, 199
ipconfig/all, 37	DNS settings, 129–130	installation, 200–201
ipconfig/registerdns, 38-39	tunnel mode, IPSec, 263	VPN. See virtual private
ipconfig/release, 38	U	network
ipconfig/renew, 38		W
nbstat, 42-43	UDP. See User Datagram Protocol	wake-on-LAN capability, 6
netdiag, 43–48	Universal Serial Bus (USB), 3	WAN. See wide area network
netstat, 41–42	Unplug or Eject Hardware	wide area network (WAN), 20
pathping, 48	dialog box, 3	Windows 2000
ping, 39–40	updates, 112	authentication protocols, 179
tracert, 40-41	DNS dynamic update zones,	networking architecture
transport device interface	125–126	in general, 6
(TDI) boundary layer, 6	USB. See Universal Serial Bus	network driver interface
transport mode, IPSec, 263	User Datagram Protocol	specification, 6–8
Trivial File Transfer Protocol	(UDP), 19	transport driver interface, 6
(TFTP), 19	user profiles configuration. See	networking protocols
troubleshooting. See also management	also client	ATM, 8
DHCP, 95	RRAS, 190–192	DLC, 8
protocol stack, 17	V	IPv6, 8
TCP/IP	VeriSign, 319	IPX/SPX, 8
in general, 34–35	virtual private network (VPN),	NetBEUI, 8
ipconfig command, 35–36	174. See also Routing and	TCP/IP, 8
ipconfig/all, 37	Remote Access Service	new features, 2-3
ipconfig/registerdns, 38–39	components	Active Directory services, 2
ipconfig/release, 38	in general, 199	clustering support, 3
ipconfig/renew, 38	VPN client, 199–200	encrypting file system, 2
nbstat, 42–43	VPN connection, 200	file allocation system, 3
netdiag, 43–48	VPN server, 199	IPsec protocol, 2
netstat, 41–42	configuration, 199	Plug and Play support, 3
pathping, 48	discussed, 175–176	terminal services, 3
ping, 39–40	installation, 200–210	Universal Serial Bus, 3

372 Index

product family
Windows 2000 Advanced
Server, 5
Windows 2000 DataCenter
Server, 5
Windows 2000
Professional, 4
Windows 2000 server, 4
Windows Internet Naming
Service (WINS). See also
NetBIOS name
backing up, 164
client configuration, 162

database compaction, 165
host name resolution, 109
installation, 155–158
management, 163–165
NetBIOS name registration, 151–152
overview, 9, 151, 154–155
troubleshooting, 163–165
server statistics window, 163
WINS replication, 154
configuration, 158–161
pull replication, 159

push replication, 160 WINS. See Windows Internet Naming Service

X

X.509 certificate. See also security ITU, 319 Xerox, 49

Z

zone of authority, DNS server, 112